

Beatle-06P

Portable X-ray System

Main Component		Technical Specification	
Flat Panel Detector	X-ray Sensitive Area	10x12/14x17inch	
Generator	Standard Power	5.6kW	
	kV Range	40-125kV	
	mA Range	10~100mA	
	mAs Range	0.1~200mAs	
X-ray Tube	Anode Heat Content	42kHu	
Collimator	Inherent Filtration	1mm Al/70kV	
Touch Screen	Dimension	8 inch	
Other Component	Battery	Lithium	
Physical Specification			
Main Unit	Weight	18kg	
	Dimension	44x24x23.6cm(LxWxH)	
Stand	Weight	35kg	
	Maximum Expansion	100x75x210cm(LxWxH)	
	Fold Dimension	105x40x40cm(LxWxH)	
Trolley Case	Weight	19kg	
	Dimension	62x55x42cm(LxWxH)	



Beatle-06P
Portable Digital X-ray System

This brochure includes standard & optional configuration, we do not guarantee that the optional configuration would be included in the product of your choice.

CE 0123

Browiner	Shenzhen Browiner Tech Co.,Ltd
	Add: Room 501, Building C, Ganghongji Hi-tech Intelligent Industrial Park, No.1008, Songbai Road, Yangguang Community, Xili Street, Nanshan District, Shenzhen, 518055, P.R. CHINA.
	Tel: +86-755-22674696 Fax: +86-755-22674695 Website: www.browiner.com Email: market@browiner.com

Ver.:202107V07

Browiner



Simple folding stand design

The mobile stand is flexible and convenient to meet various position.

Also it's easy and quick to transport the boxes separately because of folding.



Traveling box packed

The box can be placed on the main X-ray equipment, imaging system, hand switch control, exposure control.

You can choose different flat panel detector and exposure control.


Also it's easy to transport and carry because of compact structure.



New large-capacity lithium battery design

Support AC/DC power supply, no restrictions in the environment.

It adopts the design of lithium battery, which is green environmental protection, light weight, small size, short charging time and long service life.



Interactive design

Touch screen with multiple APR would save more time. Quick setting of exposure parameters, the human-computer interaction interface is more friendly.



Various application scenes

It can be widely used in hospital room, disaster relief, emergency medical treatment, sports events, charity organizations, overseas voyage, photography for bailiff system etc.

